IN THE CLAIMS:

1. (Currently Amended): A method for remotely storing data, comprising:

opening a first data item in an application on a first client device, wherein the application presents the contents of the first data item in a display area of a user interface of the application and wherein the application the application presents a remote save control in the user interface of the application;

loading a set of <u>user</u> preferences for a user, <u>wherein the set of user preferences identifies a</u> <u>predetermined storage location on the first client device for storage of data items to be remotely</u> saved;

in response to an action from selection of the remote save control by a user, storing at least a portion of the first data item in [[a]] the predetermined storage location on the first client device based on the set of user preferences; and

in response to a synchronization condition, automatically synchronizing contents of the predetermined location with a remote storage location.

- 3. (Canceled)
- 4. (Original): The method of claim 1, wherein the predetermined storage location comprises a predetermined directory or folder.
- 5-7. (Canceled)
- 8. (Currently Amended): The method of claim 1, wherein the set of <u>user</u> preferences is one of a plurality of sets of preferences in a multi-user environment.

Page 2 of 10 Gopalan - 10/015.857 9. (Currently Amended): The method of claim 1, further comprising:

identifying a selected portion of the first data item, wherein the selected portion is selected by the user in a display area of the application,

wherein the step of storing comprises creating a second data item comprising the selected portion, and storing the second data item in the predetermined storage location.

- 10. (Currently Amended): The method of claim 1, wherein the synchronization condition comprises selection of a synchronization button control by the user.
- 11. (Original): The method of claim 1, wherein the synchronization condition comprises expiration of predetermined time period.
- 12. (Original): The method of claim 1, wherein the remote storage location comprises a server device.
- 13. (Original): The method of 12, wherein the server device comprises one of a network file server and a Web server.
- 14. (Original): The method of claim 12, further comprising: requesting, at a second client device, access to the server device; and in response to receiving permission from the server device, accessing, at the second client device, data items stored in the remote storage location.
- 15. (Original): The method of claim 14, wherein the step of requesting access to the server device comprises sending authentication information from the second client device to the server device.
- 16. (Original): The method of claim 15, wherein the authentication information comprises a username and a password.

Page 3 of 10 Gopalan - 10/015,857 17. (Currently Amended): An apparatus for remotely storing data, comprising:

means for opening a first data item in an application on a first client device, wherein the application presents the contents of the first data item in a display area of a user interface of the application and wherein the application presents a remote save control in the user interface of the application;

means for loading a set of <u>user</u> preferences for a user, <u>wherein the set of user preferences</u> identifies a predetermined storage location on the first client device for storage of data items to be remotely saved;

means for storing at least a portion of the first data item in [[a]] the predetermined storage location on the first client device based on the set of user preferences in response to an action from selection of the remote save control by a user based on the set of preferences; and

means for automatically synchronizing contents of the predetermined location with a remote storage location in response to a synchronization condition.

- 18. (Original): The apparatus of claim 17, wherein the remote storage location comprises a server device.
- 19. (Original): The apparatus of claim 18, further comprising: means for requesting, at a second client device, access to the server device; and means for accessing, at the second client device, data items stored in the remote storage location in response to receiving permission from the server device.
- 20. (Currently Amended): A computer program product, in a computer readable medium, for remotely storing data, comprising:

instructions for opening a first data item in an application on a first client device, wherein the application presents the contents of the first data item in a display area of a user interface of the application and wherein the application presents a remote save control in the user interface of the application;

instructions for loading a set of <u>user</u> preferences for a user, <u>wherein the set of user</u> <u>preferences identifies a predetermined storage location on the first client device for storage of data items to be remotely saved;</u>

Page 4 of 10 Gopalan - 10/015,857 instructions for storing at least a portion of the first data item in [[a]] the predetermined storage location on the first client device based on the set of user preferences in response to an action from selection of the remote save control by a user based on the set of preferences; and

instructions for automatically synchronizing contents of the predetermined location with a remote storage location in response to a synchronization condition.

21. (New): The computer program product of claim 20, further comprising:

instructions for identifying a selected portion of the first data item, wherein the selected portion is selected by the user in a display area of the application,

wherein the instructions for storing comprises instructions for creating a second data item comprising the selected portion, and storing the second data item in the predetermined storage location.

22. (New): The computer program product of claim 20, wherein the remote storage location comprises a server device, the computer program product further comprising:

instructions for requesting, at a second client device, access to the server device; and instructions for accessing, at the second client device, data items stored in the remote storage location in response to receiving permission from the server device.